



# Township / Range Lines:

South line of Township 32N in Ranges 1E to 9E

East line of Ranges 1E to 8E in Township 32N



Indiana Historical Land Survey Documents project - LW & CJH, 2021


Surveyed: 11/1833


32  
Book 2


T. 32




2000 1860  
The following is a list of  
the names of the children  
of the late John  
C. Smith of the City of  
New York











As Lks T 32 N. R 9 E. Var. 6. 15 E <sup>1</sup>

West On South Side Section 36

25.45 W. Oak 14

33.00 Enter Willow Swamp.

37.50 Leave Sam--

40.00 Set 1/4 Section Post--

{ W. Oak 30 N 63 E 18 1/2

{ Do .. 34 N 71 1/2 W 2.00

61.43 Aspin 7

62.50 Enter Marsh--

74.00 Leave Sam--

80.00 Set post corner to Sec. 35 & 36

{ W. Oak 10 N 27 E 9

{ Do .. 8 N 60 1/2 W 63

Land level 42? - note -

Tim. Oak & Aspin--

And the plumb & Aspin--

2

As Lk  
West T 32 A. 139 E.  
On South Side Section 35

11.74 M. Oak 12  
26.29 Hickory 18  
40.00 Set 1/4 Section post -  
    { Red Oak 18 N 79° E 47  
    { M. Oak 18 N 36° E 83  
40.05 Intersected Range line between  
    ~~at~~ T 31 N 12 ch. + 93 links  
    North of Lim. post - Set post  
    { Red Oak 30 S 75° E 79  
    { M. Oak 9 S 57° N 61  
64.10 Buck 22  
71.50 Stream (supposed to be Fork  
    creek) 50 links S. N  
80.00 Set post corner to Sec. 34 + 35  
    { Maple 4 N 36° E 10  
    { Hickory 4 N 52° E 46

Land level - East of Stream  
2? note. Lim. mostly Oak -  
West of Stream 1<sup>st</sup> note -  
    Ash Elm Gum + Sora  
Buck + - M.G. Sam -

chs Lk. T 32 N. B 9 E.  
Met On South Side Section 34

13.82 Buck 20  
28.75 B. Walnut 34  
40.00 Set 1/4 Section Post -  
    { N 62 E 22  
    { Buckeye 8 N 69 W 63

51.64 B. Ash 10  
54.00 Brook 6 lks crs. S. E.  
60.45 W. Ash 18  
80.00 Set post corner to Sec 33 & 34  
    { Buck 8 N 22 E 13  
    { Do ... 8 N 48 1/2 W 33

Land rolling + 12<sup>th</sup> note -  
Buck began Ash Elm  
Lynn & -  
and the same -



4

Ch. Lk,  
WestT 32 N. R 9 E.  
On South Side Section 33

20.79	Buck 10
27.77	Buck 12
38.00	Brook 6 lks. S. South.
40.00	Set 1/4 Section Post
	Blue Ash 18 N 84 E 18
	{ M. Oak <del>18</del> 10 N 17 W 34
51.58	M. Oak 24
60.00	Enter Willow Swamp -
80.00	Set post corner to Sec. 32 & 33
	in Swamp - Cherry 6 N 88 1/2 E 13.64
	{ B. Ash 6 West 3.14

Land &amp; so much same -

As Lk. T 32 N. R 9 E.

Mist On South Side Section 32

19.00 Leave Swps -

19.32 As pin 14

40.00 Set 1/4 Section Post -

{ W. Oak 24 N 19 E 31

{ Do .. 24 N 17 N 23

58.50 W. Oak 18

71.76 Hickory 12

80.00 Set Post corner to S. 31 N 32

Buck 15 N 57 E 66

Ironwood 6 N 43 N 23

Land & same

6

Chi. Lk. S 32 N. R 9 E.  
 West On South Side Section 31

10.48 W. Oak 40  
 38.25 Buck 12  
 40.00 Set 1/4 Section Post -  
 { W Oak 10 N 9 E 64  
 { Red Oak 30 N 33 E 81

54.76 W. Ash 20  
 73.50 Enter Willow Swamp -  
 80.20 Set post cor. to Towns 32 N of R.  
 8 & 9 E. 1/3. Oak 10 N 45 E 2.06  
 { Aspin 6 N 8 E 2.53

Land &c much same

Oct. 31. 1833

7

As Lks T 32 N. R 8 E T. 6. 15 E  
Next On South Side Section 36

3.00 Leave Willow Swamp -  
26.28 White Wood 30  
40.00 Set 1/4 Section Post -  
    { Hickory 3 N 26 1/2 E 4  
    { W. Oak N 20 W 27  
  
48.00 Brook 6 hrs. ex. S. R.  
51.60 Elm 18  
64.78 W. Oak 30  
73.00 Enter Willow Swamp -  
80.00 Set post corner to Sec. 35 & 36  
    { Willow 4 N 49 W 46  
    { Do .. 3 N 58 W 48

Land rolling & 2? water.  
Elm Ash Oak Spruce &  
Buck &



8  
 Chs. Lps T 32 N. R 8 E  
 West On South Side Section 35  
 5.50 Leave Willow & Enter Tamarack Swamp  
 13.38 Tamarack 8  
 19.00 Leave Swamp -  
 32.88 White Wood 30  
 40.00 Set 1/4 Section Post -  
     { Buck 6 N 79 W 16  
     { Do .. 20 N 75 E 30  
 40.27 Intersect Range line T 31 N. of  
     R 8 & 9 - 8 Chs & 35 links North  
     of Lim. Post. Set post corner  
     to Town 31 N. of R 8 & 9 E.  
     { Buck 8 S 45 W 20  
     { W. Oak 20 S 78 E 38  
 52.57 W. Oak 18  
 56.00 Enter Marsh -  
 77.00 Leave Same -  
 80.00 Set post corner to Secs. 34 & 35  
     { W. Ark 10 N 37 E 27  
     { Blue Ark 20 N 32 W 33  
 Land rolling & 2<sup>d</sup> rate for Swamp  
 excepting Sugar, Buck, Oak &  
 and the same

As Lk. T32 N. R8 E 9  
West on South side section 34

7.35 W. Oak  
12.50 Enter Willow Swamp -  
16.00 Leave Same -  
22.88 Red Oak 18  
40.00 Sit 1/4 Section Post -  
    { Buckeye 6 N 68 W 25  
    { Buck 10 N 74 E 28

65.50 Brook 6 lks. cr. S.W.  
73.23 B. Walnut 40  
74.00 Brook 6 lks. cr. N.W.  
78.00 Same . . . S.W.  
80.00 Sit post corner to Sec. 33 & 34  
    { Elm 10 N 30 E 38  
    { Do .. 10 N 38 W 28

Land rolling & 1<sup>st</sup> rate  
Sugar Buck Ark Elm  
Oak & - And the same -

10.  
As. Lk. S 32 N. E 8 E.  
West On South Side Section 33

15.41 Hickory 18  
20.00 Brook 5  $\frac{1}{3}$  crs. S. E.  
28.71 W. Ash 15  
30.50 Antler Willow Imp-  
40.00 Set  $\frac{1}{4}$  Section port in Imp-  
    { Willow 3 N 11 E 26  
    { Do .. 3 N 63 W 28

47.00 Leave Imp-  
52.02 W. Oak 20  
79.30 Buck 18  
80.00 Set port corner to Sec 32 & 33  
    { Buck 10 N 50 E 25  
    { Ironwood 9 N 34 W 15

Sand & Timber as before

11

Ashts T32 N. R8 E,  
Met On South Side Sution 32

12.24 W. Oak 40

28.88 Elm 18

40.00 Set 1/4 Sution Post -

{ Birch 10 N26 E 90

{ Do .. 12 N45 W 55

60.55 B. Ash 12

72.18 Buckeye 10

80.00 Set post corner to Sec. 3 N32

{ B. Ash 7 N35 E 12

{ Elm 9 N55 W 29

Land gently rolling + 1<sup>st</sup>  
rate - Sugar Birch Ash  
Elm Linn &c.



12

Ch. Lk.  
West

S 32 N. R 8 E.  
On South Side Section 31

12.00 Buck 30  
35.23 Buck 6  
40.00 Set 1/4 Section Post -  
Sagor 10 N 84 E 37  
Buck 18 N 33 W 57

50.72 Buck 12  
73.00 Set post corner to Town 32 N  
of R? 748 E.  
Buck 20 N 40 E 24  
{ Do 10 N 13 W 45

Send as before

Nov. 22 1833

Apr. 24, S 32 N. By E. Var. E. 10° E  
 West On South Side Section 36

7.58	Blue Ash 18
30.50	Buck 20
40.00	Set 1/4 Section Post.
	{ B. Walnut 18 N 46 W 23
	{ Hickory 12 N 43 1/2 E 25
58.36	White Wood 30
66.50	Indian Trail S. E.
75.63	Buck 12
80.00	Tr a Lyn 10 inches <u>corner tree</u>

Land level & 1<sup>st</sup> sale -  
 Sugar Buck Ash Lyn  
 White wood Oak -

14  
Chs. Lks  
West

T 32 N. 16 E.  
On South Side Section 35

- 13.64 Elm 30  
24.50 To East margin of small pond  
(North 6.00  
offset { West 7.00  
          { South 6.00 To line  
31.50 Fell into line on West side Lake  
40.00 At 1/4 section post -  
          { Buck 10 N 80 E 47  
          { Hickory 10 N 19 W 22  
48.32 White wood 24  
62.49 Intersect line between Rs. 7 & 8 E  
          Town 31 N. 14 Chs. 74 links North  
          Lim. post - At post corner to  
          Town 31 N. of Rs. 7 & 8 East -  
          { B. Ash 18 S 58 E 20  
          { Maple 10 S 49 W 30  
68.89 White wood 18  
80.00 At post corner to Sec. 34 & 35  
          { M. Ash 7 N 75 E 27  
          { Buck 20 N 80 W 38

Land or much as before

Chs Lks S 32 N. R. & E.  
Went On South Side Section 34

20.91	Corn 20
40.00	Set 1/4 Section Post -
	{ Buck 3 N 64 E 33
	{ Do .. 7 N 46 W 30
48.00	brook & th. cr. S. W
61.36	Red Oak 30
62.00	Enter Willow Swamp -
79.50	Leave Sam -
80.00	Set post corner to Sec. 33 & 34
	{ W. Oak 12 N 45 W 55
	{ Do 24 N 5 W 1.22

Land & much Sam -

16

Ch. Lk. T 32 N 67 E,  
 Post On South Side Section 33

2.57 Enter Willow Swamp -  
 10.00 Leave Same -  
 15.79 Red Oak 30  
 40.00 Set 1/4 Section Post -  
     { M. Ash 6 N 82 E 26  
     { Hickory 6 N 37 W 13  
 50.00 Enter Oak openings -  
 60.80 Hickory 20  
 80.00 Set Post corner to Sect 32 & 33  
     { M. Oak 24 N 65 W 41  
     { Do .. 24 N 44 E 90

Land gently rolling -  
 East 1/2 rate. Sugar,  
 Buck Ash Elm & Oak -  
 West 1/2 mostly 2: rate -  
 Lim. Oak -

17

Mr. Lk. T 32 N. R. 7 E.  
Met On South Side Section 32

13.00	Enter Wet Prairie -
23.50	Leave Same
26.50	W. Oak 20.
31.00	Enter another Wet Prairie
40.00	Set 1/4 Section post in prairie -
	Gy. Oak 9 N 71 E 2.03
	{ Hickory 10 N 87 W 1.47
40.50	Leave Prairie
56.72	W. Oak 30
71.00	Enter another Wet Prairie
80.00	Set post cor. to Sec. 3 N 32 in
	prairie Willow 4 N 73 E 12.
	{ Do . . 3 N 59 W 11

Land rolling & 2<sup>d</sup> rate -  
Timber Oak & Hickory



Chs Lk  
Met T 32 N. R 7 E,  
On South Side Section 31

4.00 Leave Met Prairie -  
24.50 Enter Prairie -  
36.50 Leave Same -  
37.00 M. Oak 24  
40.00 Set 1/4 Section Post  
    { M. Oak 12 N 42 E 20  
    { G. Oak 4 N 42 W 25

41.00 Enter Met Prairie  
57.00 Leave Same -  
56.67 M. Oak 24  
62.75 Stream 10 cms. N. W -  
69.92 Set post corner to Town 32 N. of  
    Ranges 6 & 7 East -  
    { Hickory 6 N 40 W 47  
    { Red Oak 40 N 83 E 82

Land gently rolling + 2. rods  
Timber G. M. & Red Oak  
and th. Hickory Sassafras  
and Oak -

As Lk T 32 N R 6 E, Var. 6. 13  
West On South Side Section 36

13. 31 N. Oak 18  
35. 47 Lynn 16  
40. 00 Sit. 1/4 Section Post  
    { Butternut N 60 3/4 E 52  
    { N. Ark 14 N 69 W 20

60. 50 Enter Marsh  
65. 50 Leave same  
69. 05 N. Oak 11

80. 00 Sit post corner to Sec 35 & 36  
    { N. Oak 12 N 29 1/2 E 16  
    { Do .. 10 N 62 W 14

Land rolling & good soil  
Oak Hickory - on East 60. 00  
B. & N. Walnut N. H. & W.  
Ark + -

20

Chs 2 1/2  
Post On South Side Section 35

T32 N. R. 6 E

1.50 Enter Marsh -  
9.00 Leave Same -  
35.81 N. Oak 16  
36.00 Enter Marsh  
40.00 Sit 1/4 Section Post -  
    { N. Oak 15 N 60 1/2 E 19  
    { Do .. 24 N 40 1/2 E 2.47

53.50 Leave Marsh  
58.81 Intersect Line between Ranges  
6 & 7 E. Town 31 North. 16 chs.  
+ 25 links North of Lim. post -  
Sit post corner to Town 31 N. of  
Ranges 6 & 7 East -

    { N. Oak 16 S 85 1/2 E 1.28  
    { Do 16 S 89 1/2 W 1.66  
62.47 N. Oak 9  
77.52 N. Oak 8  
80.00 Sit post corner to Secs. 34 & 35  
    { N. Oak 14 N 69 1/2 E 74  
    { Do 13 N 7 N 118 - Sand rolling  
openings - Soil good. Oak & Hickory  
broken with low places -

21

As Lk S 32 N R 6 E.  
Met On South Side Section 34

13.44 Hickory 11  
27.46 W. Oak 14  
38.60 brook 10 lbs. cr. S. R. Sluggish  
40.00 At 1/4 section post -  
{ E. Oak 7 N 82 E 75  
{ G. Oak 13 N 52 W 1.68

60.74 W. Oak 24  
79.00 Marsh  
80.00 At post corner to Sec. 33 & 34  
{ G. Oak 15 N 60 1/2 E 1.12  
{ W. Oak 18 N 1 1/2 W 2.24

Land &c much same -

22

Ch. Sk.

S 32 N. B 6 E.

West on South Side Section 33

10.00 Leave Marsh  
 17.00 Enter Marsh  
 31.00 Leave Same -  
 36.28 Elm 14  
 40.00 Set  $\frac{1}{4}$  Section Post -  
     { N. Oak 23 N 42  $\frac{1}{2}$  E 21  
     { Do .. 12 N 32 W 45

47.50 Road from Lagoon port to White  
     Pigeon crs. N. E -  
 57.00 Enter Marsh -  
 71.00 Leave Same -  
 71.54 Hickory 16  
 80.00 Set post corner to Sec. 32 & 33  
     { N. Oak 13 N 36  $\frac{1}{2}$  E 48  
     { Y. Oak 21 N 28 W 54

Land & Same -

Chs. Lts T 32 N R 6 E,  
 Met On South Side Section 32

3.00 Enter Marsh  
 10.00 Leave Same  
 40.00 Set  $\frac{1}{4}$  Section Post  
     { W. Oak 9 N 47 E 27  
     { Do 12 N 34 N 68

80.00 Set post corner to Section 34 32  
     Purp. Oak 4 N 80 E 18  
     Cem 12 N 14 N 62

Land &c similar. very  
 brushy on Met  $\frac{1}{2}$

24

Chr. Lk. S 32 N. E 6 E.  
West On South Side Section 31

1.07 Brook 50 lbs. cr. North  
32.79 W. Oak 18  
35.57 Enter Marsh  
40.00 Lt 1/4 sec. port & leave Marsh -  
{ White wood 16 S 41 E 8  
{ Hickory 13 N 75 W 1.78

54.30 Enter Marsh  
65.00 Point of Land (dry) from South  
68.50 Leave farm & Enter Marsh -  
75.83 Lt port corner Town 32 N. of  
Rd. 5 & 6. E.  
{ W. Oak 24 N 72 W 2.60  
{ B. gum 12 N 60 W 2.48

Land mostly hilly openings  
W. O. Oak & Hickory  
Soil 2? rate -



Apr. 14 T 32 N. R 5 E N. 6.20' E  
West On South Side Section 36

- 1.50 Leave Marsh
- 8.87 Buck 14
- 15.67 W. Oak 18
- 17.00 Enter Slope -
- 24.50 Leave Same -
- 24.99 W. Oak 18
- 40.00 Set 1/4 Section Post -
  - White Wood 22 N 47 1/2 E 43
  - Oak 22 N 78 W 27
- 42.60 Buck 10
- 80.00 Set post corner to Sec 2 35 + 36
  - { Buck 16 N 59 E 18
  - { Elm 9 N 75 W 10

Land good Soil - Buck Elm  
Walnut Whitewood Ash &  
E 1/2 rolling - W 1/2 level -

26

Ch. Lk. T 32 N R 5 E.  
 Mist On South Side Section 35

18.05 Elm 14  
 27.09 Wop. Oak 16  
 40.00 At 1/4 Section Post.  
     { Ch. Oak 19 N 86 E 40  
     { Birch 20 N 35 W 27

41.73 Elm 18  
 45.37 Intersect line between R. 5 & 6.  
     T 31 N. 8.41 N. of Tim. post -  
     At post corner to R. 5 & 6  
     T 31 N. Ark 18 S 6 E 16  
     { Buckeye 11 S 72 W 37

70.00 Enter Wop -  
 76.00 Leave same  
 80.00 At post corner to Sec. 34 & 35  
     { Birch 12 N 11 E 18  
     { Red Oak 30 N 35 W 19

Sandy similar line -

As Lk. T 32 N. B 5 E.  
 West On South Side Section 34

14.84 Bank 20  
 31.00 Indian Trail E. S. E.  
 40.00 Set 1/4 Section Post.  
 { M. Oak 19 N 53 E 48  
 { Do 19 N 41 W 92

47.05 Strip. Oak 14  
 48.50 Enter Strip -  
 63.00 Deep bluish Stream 50. North  
 73.00 Leave Strip - Willow Elm & open prairie  
 80.00 Set post corner to Sec. 33 & 34  
 { M. Oak 19 N 30 E 33  
 { Do .. 24 N 79 1/2 W 93

E 1/2 similar - W 1/2 upland  
 rolling - mostly Oak - soil good

28

Chs Lks

T 32 N. E 5 E.

West

On South side Section 33

- 4.00 Enter Swp-  
 16.00 Stream. bazon on Pond 2.00  
 crs North -  
 21.00 Leave Swp - Rich bottomed Sand  
 33.00 Brook & Lks crs. N. E.  
 37.00 Same .. S. E.  
 40.00 Set 1/4 Section post & leave bottomed  
 Swp. Oak 48 N 74 E 1.38  
 { Ironwoody .. N 17 W. 8  
  
 49.20 Enter Swp -  
 55.80 Brook & Lks crs. N. E.  
 57.00 Leave Swp. & Enter Oak opening.  
 57.71 W. Oak 14  
 65.60 W. Oak 18  
 75.00 Leave Oak openings -  
 80.00 Set post corner to Sect 32 & 33  
 { W. Oak 30 N 19 W 33  
 { Do .. 20 N 19 E 32  
 Splendid time with mostly  
 brushy -

Chs. Lks T32 N. R 5 E.  
West On South Side Section 32

14.50 Enter Supp-  
24.50 Leave same -  
25.81 Supp. Oak 18  
40.00 Set 1/4 Section Post-  
    { Bunk 8 N 76 1/2 E 47  
    { Do 15 N 31 W 61

47.50 Enter Supp-  
53.50 Leave same { extends N. W.  
54.07 N. Oak 36-  
75.00 Enter Supp-  
78.50 ~~Leave same~~ { small  
80.00 Set post corner to Sec. 31 & 32  
    { N. Oak 16 N 64 E 23  
    { Do .. 27 N 38 W 7

Land mostly level & 2? rods -  
Bunk Oak Linn. - some  
White wood & Walnut -

39

chr. Lk.

T 32 N. B 5 E

Nest

On South Side Section 31

27.70

M. Ark 12

34.60

Buck 14

35.75

Enter Swp.

40.00

Set 1/4 Section post.

 $\left\{ \begin{array}{l} \text{Maple 12 N 89 } 4/5 \text{ E 4.25} \\ \text{B. Ark 12 N 89 } 1/2 \text{ W 1.37} \end{array} \right.$ 

45.00

Leave Swp.

48.43

Whitewood 36

55.00

Enter Swp.

61.00

Leave same

65.47

Aspin 16

85.95

Set post cor. T. 32 R. 4 &amp; 5

M. Oak 20 N 69 E 48 - Do 20 N 31 W 38

Sand rolling - broken by small  
 swp. Lim. as before -

30

Aslk T 32 N. R 4 E 7. 6. 23 E  
Met On South Side Section 36

18.30 B. Ark 20

40.00 Set 1/4 Section Post -

{ Hickory 6 N 72 E 22

{ White wood 34 N 25 W 35

54.69 White wood 36

80.00 Set post corner to Sections

35 & 36 { Ironwood 6 N 43 W 8

{ Sugar 10 N 63 E 22

Sand gently rolling &  
1<sup>st</sup> rate - Sugar Bush  
Ark White wood & Lynn



32

Chs Lks

West

T 32 N. 16 4 E.

On South Side Section 35

17.22 Intersected line between R<sub>2</sub>  
 4 & 5 East T 31 N. 3. Chs 4 18 lps  
 North of Im. Town corner -  
 Ironwood 6 in this line  
 for Town corner

30.80

Sugar 12

40.00

Set 1/4 Section post -

{ Elm 4 N 73 E 53

{ Maple 4 N 9 W 43

55.08

Sugar 24

80.00

Set post corner to Sec. 34 &amp; 35

{ B. Walnut 20 N 64 E 44

{ Elm .. 10 N 74 W 25

Land &amp; same - -

As. Lk. T 32 N. B 4 E.  
West On South Side Section 34

21.14 Cem 20

32.00 Indian Trail N. W.

40.00 1/4 Section Post.

{ Sugar 30 N 77 E 40

{ Do .. 10 N 49 W 30

49.00 Stream 40 lks. crs. N. W.

59.50 B. Walnut 40

80.00 Set post corner to Sec. 33 & 34

{ B. Walnut 8 N 35 E 9

{ Sugar 10 N 69 W 23

Land & Sarn

34

chs, Lks

T 32 N. R 4 E.

West

On South Side Section 33

19.50 White wood 18  
 37.00 Enter Willow swp -  
 40.00 Set 1/4 section post

{ Elm 4 N 18 E 22  
 { Do 3 N 65 E 29

44.00 Leave swp -

59.32 Elm 18

80.00 Set post corner to Sec. 32 & 33

{ Sugar 24 N 13 E 23

{ Buck 6 N 73 W 20

Sand & Sam —

Chs. Lk. T 32 N. R 4 E  
West On South Side Section 32

15. 10 Hickory 12  
40. 00 Lo a Black 18 corner tree

68. 26 Sugar 28  
80. 00 1st post corner to Sec. 31 & 32  
{ Butternut 6 N 5 E 25  
{ Buck 10 N 31 W 43

Sand & gravel 4 1/2 ft. north  
Sugar Buck Ark. Sugar  
to - kind the same

36

chs Lk, T 32 N. B & E

Nest On South Side Section 31

5.21	Stream 40 Chs. cr. S. N.
7.00	.. Same N. N.
12.00	.. Same S. N.
21.96	N. Oak 18)
40.00	Lt. 1/4 Section Post -
	{ Ironwood 9 N 65 E 24
	{ Do 9 N 63 1/2 E 25
53.50	N. Oak 28
55.00	Enter Willow Swamp -
69.00	Leave Same
90.48	Lt post corner to Town 32 N
	of R.D. 3 & 4 East -
	{ N. Oak 10 N 65 E 43
	{ Maple 12 N 61 E 55
	Sand & much same

chs Lks T 32 N. 1/2 E 3 E. 7 E. 25 E  
West On South Side Section 36

31.50 Stream 30 lks. crs. N. W.

32.84 Lynn 18

40.00 Lt 44 Section Post

{ W. Oak 7 N 40 E 20  
{ Do 6 N 36 W 18

48.50 Stream 30 lks. crs. S. W

51.91 Lt post on Left bank of  
Tippicanoe River

{ Sycamore 10 N 11 W 96  
{ Maple 10 S 33 1/2 W 19

53.90 Lt post on Right bank of  
Tippicanoe River

{ Lynn 10 N 15 W 18.  
{ Butternut 20 S 27 W 9.

65.86 Intersect line between R. 3 & 4  
E. T 31 N. 7 chs. & 17 lks. N of Lm.  
Post. Lt Post- Buck 9 S 13  
W 18. Do 18 S 45 E 23

80.00 Lt p. cor. to Sec 35 & 36. N. Ark  
3 N 2 1/2 W 18- Buck 20 N 49 E 48  
Sand Cove & 1st vote- Buck 1/2  
Lake

As Lk T32 N 33 E  
 Nest On South Side Sec - 35

18.16 Elm 28  
 40.00 Set 1/4 Section Post  
 Buck 15 N 49 W 18  
 { Do 12 N 76 E 35

57.74 B. Oak 20  
 80.00 Set Post corner Sec? 34 & 35  
 White wood 10 N 38 E 18  
 { Sugar 18 N 75 W 23

Land gently rolling &  
 1<sup>st</sup> rate - Sugar Buck  
 Ark White wood Elm  
 Lynn & -



39

As Lts T32 A B32  
Nest On South Side Sec 34

24.12 Buck 8  
40.00 Set 1/4 Section Post  
{ Buck 143 E 15  
{ Do 20 N 61 N 23

61.20 Brook 20 cr S. E  
67.12 Elm 10  
80.00 To a Mr. Ash 10 corner tree  
to Sd. 33 + 34

Send to same

Ashts T32 N 83 E  
West On South Side Sec. 33

22.71 Buck 18  
38.00 Enter Millers & Alden Srops.  
40.00 Set. 14 Section Post in Srop -  
    { Elm & N 67 W 83  
    { B. Ash & N 88 E 02

45.00 Leave Srop -  
62.57 Buck 18  
80.00 Loan Elm & corner to  
    to Sals. 32 & 33

Land is much same

Arch, T 32 N 33 E  
 West On South Side Sec. 32

18.77 Buck 18  
 40.50 Enter Willow Swamp &  
 Set 1/4 Section PDL  
 { M. Arh 10 N 62 E 6  
 { Elm 10 N 43 W 16

50.00 Ledge Swamp -  
 59.44 Red Oak 24  
 80.00 Set Port Cor. Sec. 32 N 32  
 { M. Arh 18 N 67 E 12  
 { Maple 10 N 30 W 29

Land & Same

Chy Lk T32 N E 3 E  
West On South Side Section 8)

5.00 Enter Willow Swamp  
27.00 Leave Same  
40.00 Set 1/4 Section post  
    { Elm 10 N 12 E 27  
    { Ironwood 10 N 26 W 42  
41.63 Intersect East line Sec. 24  
    (M. N. S.) 3.52, North of  
    S. E. corner — Set post  
    { Sugar 30 S 35 E 41  
    { Buck 7 N 74 E 23  
77.50 Michigan Road  
87.00 Turn Town Post in Road  
    land

Land & much as before

Nov. 14<sup>th</sup> 1833

Ch. 16, S 32 N. R 2 E. T. E. 26 E  
 West On South Side Section 36

35.82 <sup>Port</sup> Set on West line (N. R. E.) 2.65  
 North of N. W. Corner of Section  
 24 of Road Land -

{ Sugar 10 N 51 W 31  
 { Do .. 28 S 32 E 21

40.00 Set 1/4 Section Port -

{ Butternut 4 N 66 1/2 E 28

41.05 { Buck 20 N 54 W 23

Intersect line between R 22 + 3  
 5.98 North of Lim. Port -

Set port corner to R 2 + 3, T. 31.

{ Buck 20 S 25 W 32

{ Elm 10 S 45 E 47

62.41 Red Oak 20

80.00 Set port corner to S. 35 + 36

{ Sugar 30 N 57 E 20

{ Do 25 N 68 W 52

Land gently rolling + 1 Port

Sugar Buck Gum Elm

Ark - -

46

ch. 1/2 T 32 N R 2 E  
West On South Side section 35

3.00 Indian Trail cr. S. E.

23.70  
\* 30.65  
140.00  
M. Ash 20  
Regina line  
Set 1/4 Section Post -  
Sugar 30 N 62 E 30  
{ Do 28 N 4 1/2 W 54

62.26 Sugar 30  
73.00 Road North & South  
80.00 Set post corner to Sec. 34 & 35  
{ Hickory 18 N 46 E 32  
{ Sugar 28 N 55 W 51

Land rolling & 1st rate -  
Sugar Black Ash Elm  
Lynn White wood & oak  
and the same

\* 30.65 Set post on E. line  
Mam. the - know Resur  
Elm 6 N 53 E 32  
Sugar 30 N 55 W 82

Chick Lk T 32 N B 2 E  
Met On South side Sution 34

7.00 Enter Oak openings  
19.28 G. Oak 20  
20.00 Road N N + S. E

40.00 Set 1/4 Sution Post -  
{ N. Oak 24 N 73 E 2.99  
{ Do 7 N 44 W 6.49

58.15 N. Oak 30  
80.00 Set post corner to Sution 33 + 34  
{ N. Oak 18 N 28 E 86  
{ Do 12 N 20 1/2 W 45

Land rolling 4 1/2 rods  
Oak openings -







48

Chs Sk

T 32 N. R 2 E

West On South Side Section 33

25.76

Hickory 10

\* 40.00

Set 1/4 Section Post -

{ Hickory 9 N 28 E 94  
 { Do. 10 N 38 W 41

52.00

Enter West Prairie

77.00

Leave same -

80.00

Set post corner to Sec. 32 & 33

{ N. Oak 20 N 26 E 5.47  
 { Do .. 20 N 17 W 2.77

Land & same

\* 30.14 Intersected South West cor.

of Maukekozi's Reserve

Hickory 10 N 40 E 83

Do 10 N 18 W 58

Chs Lk, T 32 N. R 2 E  
Met On South Side Section 32

8.00 Enter Met Prairie -  
11.50 Brook 10 Chs cr. S. N.  
40.00 Set 1/4 Section Post -  
Ch. Oak 30 N 18 W 2.46  
{ Ch. Oak 10 N 26 W 2.21

42.00 Leave Met Prairie -  
62.00 Enter Marsh -  
76.00 Leave Same -  
81.00 Set post corner to Sec. 31 & 32  
{ Ch. Oak 10 N 22 W 2.72  
{ W. Oak 7 N 29 W 1.50  
Land to Same -

chs Lk T 32 N 16 2 E

Met On South Side Section 31

21.15 W. Oak 15

40.00 Set 1/4 Section Post -

{ W. Oak 18 N 41 E 20

{ Do .. 18 N 85 W 57

43.00 Enter 1<sup>st</sup> rate Timber land

57.40 W. Oak 20

77.50 Brook &amp; Lk on S. W.

78.00 Enter Oak openings

80.25 Set post corner to Town 32 N. Br.

14 2 E. { W. Oak 7 N 23 E 12

{ Do 7 N 21 W 31

Land &amp; much same

51

ch. Lks T 32 N. R 1 E (T. 6. 22 1/2 E  
West On South Side Section 36

40.00 Set 1/4 Section Port -

{ N. Oak 24 N 37 E 1.08.

{ Do .. 20 N 78 E 1.12.

41.00 Enter Wet Prairie -

42.48 Intersect line between R<sup>1</sup>.

142 E. T 31 N. 24 links N. of

Tom. Town corner - Set port

{ N. Oak 30 S 33 1/2 W 4.13

{ Do .. 18 S 27 E 3.61

60.00 Leave Wet Prairie -

80.00 Set port corner to Sw. 35 & 36

N. Oak 30 N 84 E 1.17 - B. Oak 14 N 64 W 75

Land rolling & E. rate.

chiefly N. & E. Oak -

chshy 932 N E 1 E  
West on South side Section 35

17.55 Hickory 12  
40.00 Set 1/4 Section Port -  
    { W. Oak 10 N 45 E 1.46 -  
    { Y. Oak 20 N 80 W 79.  
  
50.18 W. Oak 10 -  
53.00 Enter Wet Prairie -  
70.00 Leave same -  
80.00 Set port corner to Secs. 34 & 35  
    { W. Oak 14 N 7 1/2 E 2.37  
    { Do 10 N 72 1/2 E 2.18  
  
Sand & mud same



As Lk, T 32 N. R 1 E  
West on South side Section 34

20.23 W. Oak 18 -

24.50 Enter Mt Prairie -

40.00 Set 1/4 Section Post -

{ W. Oak 12 N 76 W 1.80

{ Do .. 20 S 30 W 2.34 -

41.00 Leave Mt Prairie -  
\* 43.61 Set post on West line corner  
59.13 G. Oak 16

80.00 Set post corner to Sec. 33 & 34

{ W. Oak 20 N 86 E 4.00

{ B. Oak 4 N 84 W 3.52

Land & Same

at 43.61 Set post West line  
of Reserve

G. Oak 10 N 3 W 42

Hickory 6 N 64 W 41

Sp. Sk. T32 N 161 E.

Nest on South Side Section 33

40.00 Set 1/4 Section Post -

{ W. Oak 20 N88 E 6.32

{ Do .. 14 N89 W 5.88

52.50 Enter Mt. Prairie

72.00 Leave Same

80.00 Set Post corner to Sec. 32 & 33

{ W. Oak 26 N67 E 50

{ Cy. Oak 4 N69 W 19

Land & Same

Mr Lk, T32 N. R. 1 E,  
 Met On South Side Section 32

2.50 Enter Mt Prairie  
 10.50 Brook 12 lps. cr. ~~44~~ S. E  
 15.00 Leave Mt Prairie  
 40.00 Set 1/4 Section Post  
 { N. Oak 12 N41 W 75  
 { Y Oak 20 N40 E 1.19

66.19 N. Oak 20  
 67.50 Enter Mt Prairie -  
 78.00 Leave Same -  
 80.00 Set post corner to Sec. 3 N 32  
 { Y. Oak 12 N58 W 20  
 { Do 12 N52 E 16

Land & Same

As L<sub>6</sub> T 32 N E 1 E  
 West on South side Section 31

20.48 G. Oak 18  
 40.00 At 1/4 Section Post -  
 G. Oak 1/2 N 50 E 36  
 W. Oak 1/2 N 53 1/2 W 90

68.46 W. Oak 20  
 100.42 At Post corner to T 33 / 32 on  
 Meridian - Land & same  
 Monday Nov. 18. 1833

note - This Range was run <sup>across</sup>  
 on random in the 1<sup>st</sup> place  
 at a Var. of S. 5 1/2 E. & corner  
 75 links South of corner

As Lk

T 32 N. R 8 E 7. 5. 58 E

South

On East Side Section 1  
corner to T<sup>2</sup> 32 & 33. R<sup>1</sup> 7 & 8  
in Lake -

7.50

South margin of Lake -

St post - N. Oak 9 N 27 N 12

Eem 18 S 77 E 14

30.40

N. Oak 18

50.48

St 1/4 Section Post -

{ N. Oak 30 S 89 E 43

{ Blue Ash 8 N 4 1/2 N 40

62.50

Hickory 18

90.48

St post corner to Sec 2 N 12

{ Ironwood 6 S 71 N 11

{ Buck 10 N 21 N 32

1<sup>st</sup> rolling & Bushy - 2<sup>o</sup> 1/2

2<sup>nd</sup> level - Soil 1<sup>st</sup> note -

Oak Ash Eem & -

58

Chy Lk T 32 N. E 8 E

South On East Side Section 12

19.46 Sycamore 18

35.82 Elm 18

40.00 S 1/4 Section post -

{ Buck 19 N 25 W 39

{ Do 10 S 75 W 34

60.00 Buck 12

80.00 S 1/4 post corner to Sec 12 &amp; 13

{ Buck 10 S 62 W 36

{ Do 12 N 68 W 30

Land rolling - soil good.  
 Sugar Buck App Elm &  
 Oak -

ch. Lk. T 32 N 68 E  
South On East Side Section 13

15.09 M. Ark 24  
24.94 Buck 12  
40.00 At 1/4 Section Post -  
{ Buck 18 S 31 N 26  
{ Sugar 6 N 6 1/2 W 8

52.20 Buck 12  
64.12 Buck 12  
81.00 At post corner to Sec 13 & 24  
{ Boxwood 9 S 64 W 25  
{ Buck 10 N 65 1/2 W 40

Land generally rolling +  
1st. rot. -

Sugar Buck Ark Elm  
+ Linn -



Ch. Sk. T 32 N 68 E.  
 South on East side Section 24

17.60 B. Walnut 18  
 31.50 Buck 10  
 40.00 Set 1/4 Section Post -  
     { Buck 10 S 67 1/2 N 15 1/2  
     { Do 10 N 76 1/2 N 15 1/2

56.64 Buck 6  
 66.90 Buck 12  
 80.00 Set post corner to Sec. 24 & 25  
     { Sugar 20 S 40 N 45  
     { Do 9 N 43 N 14

Land & Sam -

As Lk, T 32 N 88 E.

South On East Side Section 25

12.46 W. Oak 18  
35.50 White wood 18  
40.00 Set 1/4 Section Post -  
    { Buck 20 S 55 1/2 N 47  
    { Ironwood 6 N 60 N 14

54.20 W. Oak 18  
66.95 Elm 12  
80.00 Set post corner to Sec. 25 & 36  
    { Buck 6 S 69 N 25  
    { Do 7 N 38 N 33

Land & Sam

62

Chalk T 32 N. R 8 E.

South On East Side Section 36

12.65 Buck 10

27.94 White wood 30

40.00 Set 1/4 Section Post

Gronwoody 15 N 7 1/2

Sugar 5 N 7 1/2 W 13

Blue Buck

77.00 Enter Willow Swamp

80.00 Town corner

Land & Sam

Nov. 1<sup>st</sup> 1833

63

As Lk. T 32 N. By E 7.5.50'E  
South On East side section 1

16.20 W. Oak 24

43.28 At 1/4 section Port

{ Hickory 12 S 88 W 19  
{ W. Oak 24 N 40 W 77

5<sup>5</sup>/<sub>7</sub>.96 White wood 20

65.28 Elm 10

83.28 At port corner Sec. 14 12

{ Elm 18 N 40 W 94

{ Beak 20 S 7 W 46

Land rolling & 1<sup>st</sup> water  
Timber chiefly Oak -

64

Chp Lky T 32 N 13y E  
 South On East Side section 12

9.73 W. Oak 12  
 22.15 W. Oak 24  
 25.00 Leave Oak land  
 40.00 Set 1/4 Section Port -  
     { Buck 20 S 45 1/2 N 51  
     { Do 18 N 17 W 32

43.94 Buck 20  
 51.40 Cem 18  
 80.00 Set port in oak 20 lks on  
     N. W. corner to Sec. 12 & 13 -  
     { Hackberry 8 N 34 W 39  
     { Buck 10 N 49 W 78

Land rolling & 1/4 section -  
 Oak Buck Ash Cem

As Lk T 32 N E 7 E  
 South On East Side Section 13

14.25 W. Oak 18

40.00 Set 1/4 Section Port  
 { Hickory 10 S 50 N 9  
 { Do 12 N 42 W 22

45.00 North  
 South margin Lake  
 Set port 1/2 Elm 6 N 27 W 12  
 { Do 6 N 51 E 8

73.50 Set port on South margin  
 Lake - Ironwood 10 S 7 E 18  
 Buck 18 S 43 N 56

80.00 Set port corner to Sec. 13 & 24  
 { W. Oak 24 N 83 W 60  
 { Do 20 S 55 W 102

Land rolling - Soil good  
 Sugar Buck Ash Elm  
 And the same

As Lk L32 N 67 E  
South On East Side Section 24

11.00 Brook 6 lks. on West  
15.42 Buckeye 10  
39.00 Enter Willow Swamp -  
40.00 Set 1/4 Section Post -  
    { B. Ark 8 S 54 N 18  
    { Do 6 N 8 N 7  
43.00 Leave Swamp -  
47.00 Enter Willow Swamp -  
80.00 Set post corner to Sec 24 & 25  
    Willow 3 N 76 N 34  
    Tree 6 S 15 1/2 N 60

Land & Sam



67

Apr 2 Lts T 32 N. P 7 E  
South on East side Section 25

3.00 Lumber Slop-  
10.82 White wood 30  
15.21 Blue Ash 24  
40.00 Set 1/4 Section Post-  
    { H. Oak 18 S 55 N 7 1/2  
    { Buck 9 N 20 N 11

53.14 Buck 10  
56.95 W. Oak  
79.00 Enter Slop-  
80.00 Set Post corner Sec. 25 & 36  
    { Cem 10 N 15 N 48  
    { W - 10 N 70 N 63

Land & same

Appl<sup>y</sup> T32 N. By E  
 South On East side Su - 36

5.00 Lique Soap -  
 40.00 Lt. 1/4 Lichen port -  
     { Buck 6 S33 N 6  
     { Blue Ash 6 N72 W 26

50.38 White wood 12  
 57.10 W. Oak 24  


---

 80.00 ~~Liquor~~ Lichen Corner to Town 32  
     N. By E

Sand & much same

Nov. 3<sup>d</sup> 1833 -

As Lk T 32 N. R. 6 E. 5.502

South On East Side Section 1

Began in sup-

6.00 Leave same

30.25 W. Oak 30

37.57 Lt 1/4 Section port

{ Hickory 6 N 18 W 50

{ Do 7 S 39 W 75

50.00 Leave Oak land.

54.12 Sagar 20

70.07 Elm 8

77.57 Lt port corner to Sub. 1412

{ Blue Ash 10 N 48 1/2 W 48

{ Buck 20 S 65 W 38

1 1/2 1/2 Oak land 2 1/2

Buck Sagar Ash Elm

Soil 1 1/2 rate -

And kg T32 N. B. 6 E

South On East Side Section 12

11.25 White Wood 18  
 26.92 Red Oak 10  
 32.00 Enter Willow Swp -  
 40.00 Set 1/4 Section port -  
     { Elm 10 S 15 N 26  
     { Do .. 6 S 57 N 24  
 40.50 Leave Swp -  
 49.00 Willow Swp -  
 60.00 Leave Jam -  
 61.98 Cherry 18  
 80.00 Set port cor. Sec 12 & 13  
     { N. Oak 20 N 24 N 25  
     { Do .. 18 S 72 N 76

Land level & 12.4 rate -  
 Buck Sugar Elm Ark -  
 And the Jam -

Chalk T32 N66 E,  
South On East Side Section 13

25.00	Enter Willow Swamp
9.00	Leave Swamp
12.89	Buck 18
36.49	Ironwood 6
40.00	Set 1/4 Section Post
	{ Buck 20 N47 N33
	{ Red Oak 30 S60 N43
57.00	Brook 10 Ch. crs. A. N.
60.00	Enter Oak Land
76.43	N. Oak 12
80.00	Set post corner to Sec. 13 & 24
	{ Cy. Oak 12 N29 N35
	{ Do 10 S45 N83

Sand hill & 22.70 to -  
Oak Buck Sugar Ash  
Elm &c

72

Ch. L. K. T 32 N B 6 E  
South On East Side Section 24

14.00 Enter Marsh -  
20.00 Leave Same -  
30.26 W. Oak 18  
40.00 Set 1/4 Section Post -  
    { Cy. Oak 48 N 66 W 56  
    { W. Oak 24 S 29 W 64

61.08 W. Oak 18 -  
70.00 Enter Marsh -  
80.00 Set post corner to Sec. 24 & 25  
    and leave Marsh  
    { White wood 10 S 35 W 14  
    { B. Ash } N 45 W 29

Land level & 2? rate -  
Timber Oak -

Chy Sk T 32 N. R 6 E,  
South On East Side Sution 25

31.10 W. Oak 18

40.00 Set 1/4 Sution Post

{ W. Oak 24 N 48 W 36

{ No 12 S 32 W 1.06

66.76 W. Oak 30

80.00 Set post corner to Sect. 25 N 36

{ Ironwood 7 N 53 W 55

{ Elm 12 S 60 W 34

Land is much as before



Ch. Lk. T32 NB6 E.  
South On East Side Section 36

12.43 White Wood 36

40.00 Lt 1/4 Section Port  
{ W. Oak 12 S38 N 75  
{ Red Oak 20 N 60 W 88

42.00 Enter Mark -

53.00 Outlet Marshy Pond 10 lbs  
on N. W -

72.00 Leave Mark -

80.00 corner to Town 32. R. 647

Land & Sam -

75

As Lk T32 N 65 E 2 6.13 E  
 South On East Side Section 1

17.48 M. Oak 14  
 18.90 Indian Trail cr. Mat  
 34.50 Another Trail cr. Mat  
 36.00 Tippicanoe River 150 cr. Mat  
 38.72 L. 1/4 Section Port on fork  
     Tippicanoe -  
     { Elm 26 N 29 1/2 W 21  
     { M. Oak 14 S 54 1/2 W 71  
 45.50 Enter Mark -  
 60.00 Leave same  
 71.83 N. Oak 18  
 74.00 Indian Trail cr. S. E.  
 78.72 L. port corner to Sec. 18 12  
     { M. Oak 12 N 33 1/2 W 56  
     { do .. 16 S 39 W 77

Sand rolling Oak Land  
 Soil Thin.

76

chsk T 32 N E 5 E,  
South On East Side section 12

15.41 M. Oak 10  
31.00 Enter marsh  
33.82 Intersect South side the corner  
\* Rescrown <sup>ch sk</sup> 59.84 West of S. E. corner  
34.50 Leave marsh  
40.00 1/4 section Post -  
    { M. Oak 22 N 36 W 32  
    { G. Oak 16 S 5 1/2 W 64  
70.42 G. Oak 16  
73.50 Enter marsh  
80.00 det post corner to 3rd 12 + 13  
    { M. Oak 12 S 26 W 4.33  
    { Do 13 N 33 E 1.80

Land hauled & then sold.  
Lim. Oak -

\* Bearings true, <sup>to</sup> corner on  
South side Rescrown  
    { M. Oak 20 S 84 1/2 E 76  
    { Do 18 S 20 E 81

As L<sub>h</sub> T 32 N. R 5 E  
 South On East Side Section 13

40.00 Set 1/4 Section Post —  
 { W. Oak 20 N 50 W 2.75  
 { Do 22 S 44 W 6.73

40.25 Brook & Chr. cor. N.E. Muggish

47.00 Lean Marsh —

50.13 W. Oak 20 —

63.89 W. Oak 12 —

68.01 Enter Marsh —

72.30 Lean Sam —

80.00 At port corner to Sec. 13 & 24

{ W. Oak 12 N 29 W 90

{ Do 23 S 13 W 20

Sand & similar.

78

Chy Lks T32 N 65 E  
 South On East Side Section 24

9.88 Elm 8  
 14.00 Enter Marsh -  
 24.00 Leave Sam -  
 40.00 Set 1/4 Section Post -  
 { Cherry 3 N 38 1/2 W 56  
 { Ironwood 4 S 30 W 1 1/2  
 46.50 Enter Cramberry Marsh -  
 53.00 Leave Sam -  
 56.00 Enter Willow Swamp -  
 62.00 Leave Sam -  
 62.01 Red Oak 24  
 72.00 Enter Swamp -  
 76.00 Leave Sam -  
 81.00 Set post cor Sec. 24 & 25  
 { M. Ark 3 N 58 1/2 W 24  
 { Buck 11 S 32 W 69

Sand rolling & brushy  
 2<sup>d</sup> note - Oak Hickory Buck

Ch Sk, T 32. N 65 E,  
South on East side Section 25

7.50	Red Elm 15
33.78	Buck 12
40.00	Set 1/4 Section Post
	{ Blue Ash 8 N 66 W 22
	{ Do 12 S 21 1/2 W 78
78.32	North margin Lake - S. Post
	G. Oak 12 N 2 1/2 W 1.09
	Do 14 N 51 1/2 E 47
80.00	corner in Lake -

Land rolling & mostly 1<sup>st</sup> & 2<sup>nd</sup> grade  
Oak Buck Sugar Walnut  
W Blue Ash, Elm &c

Ch Lk, T32 N R 5 E,  
South On East Side Section 36

5.73 South margin of Lake  
Set post - & Enter Marsh  
Set post - Eem, N 87 W 1.27  
{ Sycamore 23 S 33 E <sup>10.63</sup>  
10.63

18.50 Leave Marsh

40.00 Set 1/4 Section Post

{ N. Oak 11 N 40 W 71

63.34

{ DO 10 S 30 W 9

~~63.34~~

G. Oak 10

64.00

Enter Marsh

80.00

corner to T. 32 N. of R. 5 & 6

Land is much better

N 2 1/2 T32 N 6 1/4 E V. 6. 188  
South On East Side Section 1

10.00 Leave Mark -

21.00 Enter Mark -

36.55 Set 1/4 Section Post -

{ N. Oak 28 S 75 1/4 N 2.92

{ Do 28 S 37 1/2 N 1.46

37.50 Leave Mark

38.50 Indian Trail

44.50 Mark

46.50 Leave Same

53.92 N. Oak 20

75.02 N. Oak 19

76.55 Set post corner Sect. 1 & 12

{ N. Oak 16 N 74 N 33

{ Do 16 N 48 1/2 N 45

Soil poor & sandy  
Thinly Lin? with Oak -



82

Chs Lk

T 32 N 34 E

South On East Side Sec 12

- 7.5 River Bottoms  
 77.00 Set post on Right bank of  
 Tappan River  
 { Willow 12 N 82  $\frac{2}{3}$  W 348  
 { N. Oak 14 N 41 E 443  
 8.10 Set post on Left bank River  
 and raised mound  
 13.87 To bend in River - Set post  
 and raised mound  
 17.00 Leave River - Set post & raised  
mound -  
 39.50 Leave Mt Prainie -  
 40.00 Set  $\frac{1}{4}$  Section Post -  
 { N. Oak 18 N 45 W 72  
 { Do 20 S 53 W 172  
 42.00 Enter Mt Prainie  
 57.00 Leave same -  
 58.20 N. Oak 15  
 80.00 Set post corner to Sec. 12 & 13  
 { N. Oak 18 N 17 W 17  
 { Do 10 S 63 W 68  
 Sand hill & 2? rods  
 Lim. Oak -

As St. T32 N34 E  
 South On East Side Sec. 13

3.00 Indian Trail E & N -  
 11.50 Enter Tamarack Swamp -  
 23.00 Leave Swamp  
 29.89 N. Oak 12  
 40.00 Set 1/4 Section Post  
     { 3. Oak 30 N 12 N 89  
     { N. Oak 18 S 31 N 53  
  
 56.10 N. Oak 28  
 80.00 Set post cor. Sec. 13 & 24  
     { Sugar 18 N 45 N 63  
     { Elm 16 S 66 N 123  
  
 Sand bar & 2? rods -  
 Lim. N. & Y. Oak

84

ch. Lk T32 N34 E.

South On East Side Sec. 24

18.00 Live Oak Sand & Enten  
rich Lim? Land -

23.11 Lynn 30

40.00 To an Elm 10 corner tree

N. Oak 15

80.00 ~~Sugar~~ Sugar 24 inch  
corner tree sub 24 & 25

Sand level & 1<sup>st</sup> rate -  
Sugar Bush Ash Elm  
Lynn & And the same

As Lk, S32 N E4 E,  
South On East Side Section 25

25.84 Apin 18  
40.00 Set 1/4 Section Post  
    { Hickory 6 S65 N19  
    { White Wood 30 N45 W25  
48.00 Enter Willow Swamp  
62.00 Leave Same  
71.28 Red Oak 18  
80.00 Set post corner to Sec. 25 & 36  
    { Red Oak 40 N46 W13  
    { Spruce 6 S21 W 52

Land & Same

Chz Lk T 32 N 34 E  
South On East Side Sw 36

16.43 White Wood 18

32.50 Enter Willow Swps -

40.00 Set 1/4 Section Port in Swps -

{ Willow 3 N 17 W 15

{ Do 4 S 19 W 24

49.00 Leave Willow Swps -

60.67 M. Oak 12

80.00 corner to T 32. R. 4 & 5

Land & Sarn

Nov. 11<sup>th</sup> 1833

chdks L32 N B3 E (V6256  
South On East Side Section 1

- 3.00 Indian Trail cor. S. E
- 28.28 White wood 30
- 36.68 Set 1/4 Section post -  
 { M. Ash 18 S25 1/2 N 11  
 { Buck 20 N19 W 15
- 53.00 cross West end Old Indian  
 improvements
- 57.12 White wood 12
- 68.00 Enter Willow Swamp -
- 71.00 Leave same
- 76.68 Set post cor. Sec. 1 & 12  
 { Elm 12 N23 W 67  
 { N. Oak 6 S67 N 24

Land rolling - Soil rich  
 Sugar Buck Ash Elm  
 Gum Oak & White wood  
 And the much same

Chp Lk T 32 N E 3 E  
 South On East Side Sec. 12

21.00 Buck 18  
 40.00 Set 1/4 Section Post -  
     { Hickory 6 S 26 N 37  
     { W. Oak 7 N 7 N 23

44.00 Center Oak Land  
 64.91 W. Oak 18  
 65.00 Indian Trail E & W -  
 80.00 Set post cor. Sec. 12 & 13  
     { W. Oak 20 N 18 N 64  
     { Do 18 S 37 1/2 N 76

Land haul - N 1/2 1<sup>st</sup> rate  
 Buck Sugar Ash &  
 S 1/2 Oak Land Soil 2<sup>nd</sup> rate

As LK  
South T32 NE 3 E  
On East Side Section 13

25.31 M. Oak 18  
40.00 Set 1/4 Section Post -  
    { M. Oak 12 N40 W16  
    { Do 28 S87 N 44

54.00 Indian Trail E & W  
62.69 Set post on <sup>right</sup> bank of  
    Tippicanoe River  
    { M. Oak 30 N7 E 1.80  
    { Do 18 N81 W 2.30

66.18 Aspin 8 corner on Left  
bank of River  
71.48 M. Oak 18

81.00 Set post corner to Sec 13 & 24  
    { M. Oak 10 N74 W 66  
    { B. Oak 7 S45 W 40

Land line & 22 rods  
Lim. Oak -



90

High, T32 N E 3 E

South On East Side Sec 24

- 12.00 Enter Marsh  
 15.50 Leave same  
 16.32 G. Oak 12  
 18.00 Enter Marsh  
 32.00 Leave same  
 40.00 Set 44. Sutton Post-  
     { G. Oak 7 S 14 N 1.05  
     { M. Oak 10 S 67 N 1.62  
  
 58.00 Enter Marsh -  
 68.00 Leave same -  
 80.00 Set post cor. Sec. 24 & 25  
     { 44. pin 10 South 3.46  
     { M. Oak 9 N 45 N 59  
  
 Sand hole & pool  
 Lim. as before

91

As Sh. T 32 N E 3 E  
South on East side Su - 25

12.00 Enter Marsh -

14.50 Leave same

23.20 M. Oak 10

40.00 Set 14 Section Post

{ M. Oak 24 North 6

{ Do 30 S 12 E 27

66.25 M. Oak 10

80.00 Set post corner to S.W. 25 & 36

{ M. Oak 28 S 20 N 63

{ Do 18 N 6 W 42

Send back 2? rods

N & 3. Oak -

And the Hazel grape  
vines &

92

Appl

T 32 NB 3 E

South

On East Side Section 36

28.77

April 10

35.50

Road from Lagoonsport  
to White Pigeon Prairie

40.00

1/4 Section Port-

Sec 18 S 47 N 17

[W. Oak 20 S 52 N 35

52.38

March 10-

80.00

Corner T. 32 R. 3 & 4

Land of similar

Nov. 13. 1833

93

Ad Lk T 32 N E 2 E (V. 625 E  
South On East side Sw 1

28.15 Sugar 28  
41.88 Set 1/4 Section Post  
{ Elm 6 N 43' h N 14  
{ Buck 24 S 66' h N 57

56.26 Sugar 25  
81.88 Set Post cor. Sec N 12  
{ Butternut 10 N 3' h N 45  
{ Elm . . 4 S 40' h N 18

Land Acre 4 1/2<sup>+</sup> vote -  
Sugar Buck Ark Elm  
Lynn Walnut & —  
And 1/2 Sam —

94

As Lk

S 32 N E 2 E

South on East side SW 12

15.27

Sugar 18

40.00

Set 1/4 section port

{ Butternut 12 N 14 W 16

{ Do 10 N 55 W 9

58.84

Buck 20

80.00

Set port corner SW 12 &amp; 13

{ Sugar 24 N 66 W 19

{ Buck 6 S 36 W ~~89~~<sup>39</sup>

Lands Same

Asst Lts S 32 N 62 E  
South On East Side Sec. 13

28.14 Corn 12  
40.00 Set 1/4 Section Post  
{ Dagon 20 S 45 N 11  
  Do 20 S 30 N 45

64.29 White Wood 30  
80.00 Set post corner sec. 13 + 24  
{ R. Ark 20 N 39 N 14  
  Buck 10 S 28 N 23

Land & much same

96

As Lts

T32 N B 2 E

South On <sup>East</sup> ~~both~~ side Sec 24

1.89 Michigan R. Land 28.42  
 West of N.E. corner of  
 Section 22 agreeable  
 to Survey of Road Land -  
 Set forth Book 10 N 31 E 11  
 { Do 11 West 23

40.00 in Road Land

80.00 same

Ad Lys

T32 N B 2 E

Watts On East Side Section 25

39.00 Center Michigan Road  
on N 4<sup>th</sup> W

40.00 Road Cond

80.00 Same



98

Chas Lys T 32 N 62 E

South On East Side Sec 36

40.00 Road Land

80.00 Lem. Town corner  
in Road Land

Nov. 15<sup>th</sup> 1833

99

July 32 N 61 E 7.6.25 E  
South On East side Section 1

23.11 Elm 10  
35.00 Enter Mt Prairie  
42.12 Set 1/4 Section Post -  
    { W. Oak 10 S 4 1/2 W 5.40  
    { no other ..  
47.00 Leave Mt. Prairie  
68.48 Red Oak 10  
82.12 Set post corner Sec 1 & 12  
    { W. Oak 12 S 22 W 21  
    { Burr Oak N 81 W 53  
    { .. .. .

Sand level & 2<sup>nd</sup> rate  
Lm. N. & W. Oak

100

Chalk  
South

T32 N16/E

On East Side Sec 12

18.94 Red Oak 9

40.00 Set 1/4 Section Post

{ Red Oak 12 N79 N32  
{ W. Oak 6 T38 N38

42.00 Enter Marsh

78.00 Enter Tomrask Swamp-

80.00 Set post corner Sec. 12+13  
in Swamp Tomrask 12 S48 N77  
{ Do 6 N45 N15

Nip as before - S. 1/2 Swamp-

S

July 32 NB1E  
South On East Side Section 13

17.00 Leave Swamp & enter 1st rate Sand

22.26 M. Oak 18

40.00 Sit 1/4 Section Post

{ M. Ak 18 N 71 N 23

{ Elm 10 S 38 N 47

47.25 Reservoir line

60.43 M. Oak 20

80.00 Sit post cor. sec. 13 & 24

{ Red Oak 24 N 24 N 47

{ M. Ak 24 S 16 N 85

Sand rolling & 1st-  
rate - Swamp & apter  
Sugar Bush Ak Elm  
Lignum &

\* at 47.25 Sit post on N. side of  
Reservoir

{ Elm 10 S 70 N 30

{ Do 10 N 59 N 11

J

As Sh,

S32 N61 E

South On East Side Section 24

25.00 Red Oak 24

40.00 Set 1/4 Section Post -

{ White wood 30 S29 N63

{ W. Oak 10 N26 N42

61.40 1/2 Walnut 20

80.00 Set post corner sec. 24 &amp; 25

{ W. Oak 9 N58 N28

{ Red Oak 10 S32 N40

Sand &amp; much same -

Appl. S 32 NB 1 E.  
South On East side Section 25

13.25 N. Oak 24  
15.00 Enter Marsh  
26.00 Leave Same  
40.00 Set  $\frac{1}{4}$  Section Post.  
     { N. Oak 30 N 84 N 58  
     { Do 36 S 56 N 1.20

80.00 Set post corner to Sec. 25 & 36  
     { N. Oak 20 N 4 N 1.19  
     { Do 20 S 12 N 1.00

Land to Same

104

Highly  
South

S 32 N B / E,

On East Side sec - 36

28.40

W. Oak 20

40.00

Set 1/4 Section Post

W. Oak 20 S 80 N 94

~~W. Oak 20 N 95~~

{ W. Oak 20 N 21 N 95

41.00

Enter Wet Prairie -

70.00

Leave same & Enter Oak Land


80.00

Come to S 32 B. 1 & 2


Land here & 2. rate -


Oak, Hickory, Ash, Elm &

Nov. 17. th 1833









I do hereby certify that in pursuance  
of a contract with M. T. Williams Surveyor  
Genl. of the United States for the States of  
Ohio & Indiana & Michigan Territory, and  
Robert Clark jr. & Sylvester Sibley, bear-  
ing date July 1<sup>st</sup> 1833, and in conformi-  
ty to the laws of the United States and  
instructions from said Surveyor  
Genl., I have laid out & surveyed  
the exterior Townships lines described  
in the foregoing pages of this book,  
which are the true and original  
field notes of the surveys which  
they purport to be as taken on  
the said lines.

Certified at Cincinnati  
this 10<sup>th</sup> day of May 1834 -

Sylvester Sibley Jr.

chainman { John Hodgson

James <sup>his</sup> ~~son~~ <sub>in R</sub>

draw-man { John Dinkes

